

## COLOUR DUOX VEO MONITOR 4,3"

**Reference:** 9405

The VEO monitor is made of high-impact ABS plastic. Texturised finish for easy cleaning and ultraviolet protection to get more resistance to the light. VEO incorporates a 4,3" (16:9) panoramic color...

### DESCRIPTION

The VEO monitor is made of high-impact ABS plastic. Texturised finish for easy cleaning and ultraviolet protection to get more resistance to the light. VEO incorporates a 4,3" (16:9) panoramic color TFT screen. Its unique handset design incorporating a magnet enables the user to put it back into position correctly when the call is finished. Its balanced design of pure lines is distinguishing, modern and minimal. VEO integrates in the ambience.

When a call is received, the image appears automatically. When the handset is picked up a conversation with the visitor can take place. The image is de-activated automatically after 90 seconds, or when the handset is put back in position. To open the door, press the button.

**ACCESSORIES:****CONNECTOR**

9406 DUOX VEO MONITOR CONNECTOR

Necessary to mount the monitor on the wall surface.

**DESKTOP**

9410 VEO MONITOR DESKTOP SUPPORT

Fermax desktop support allows a call from the entrance to be answered from the office desktop. Recommended for offices, businesses and professionals who work from home. Manufactured in the highest quality stainless steel (AISI 316L). Connector 9406 to be ordered separately.

**REPLACEMENT**

3389 UNIVERSAL LARGE FRAME 210X240

Universal frame with an extra slim format, it is manufactured in a high resistant ABS plastic with a texturised finish. In replacement works, allows to cover the space left by older equipment. In addition, it keeps the wall protected from the dirt reproduced by the use of telephones and monitors.

**Handset with induction loop**

## TECHNICAL SPECIFICATIONS

### GENERAL CHARACTERISTICS

Technology DUOX (non-polarized 2 wire full digital system)  
Audio/Video system Audio/Video Color  
Set-up (Installation) Surface mounted (connector ref. 9406)  
Desktop support Yes (ref. 9410)  
Handset with magnet to facilitate the hang up Yes  
Hands-free communication -  
Press-to-talk communication configurable -  
Induction loop included Yes (FFR09406)  
Screen dimensions 4,3" (Panoramic 16:9)  
Screen resolution (H x V) 480 x 272  
Color of the product Matt white  
Number of pushbuttons 4  
Kind of pushbuttons Mechanical (silicon)  
Number of leds for lighted indications 1 (red)

### PROGRAMMING OF THE TERMINAL ADDRESS

From the terminal From the OSD menu  
From the outdoor panel or guard unit Yes  
From the outdoor panel throughout the apartment door bell Yes

### FEATURES

Automatic picture capture when the visitor calls (PHOTOCALLER) Yes (1 photo/call, until 150 photos, 320 x 240 pixels)  
Guard unit call Yes (by means of the door release button)  
Auto-on Yes (with 3 outdoor panels)  
OSD menu Yes  
Additional function F1 Yes (Button F1 sends a negative and/or command)  
Additional function F2 Yes (it only sends command, no negative)  
Apartment door bell Yes  
Connection for additional devices (call extension, light/buzzer activator, etc.) Yes

### ADJUSTMENTS

Date and time Yes  
Ring tones selection Yes (5)  
Call volume control Yes (8 levels by OSD menu)  
Do-not-disturb mode Yes (by OSD menu)  
Audio volume control Yes (8 levels by OSD menu)  
Brightness, color and contrast control Yes (by OSD menu)

### TECHNICAL FEATURES

Product dimensions (width x height x depth) mm 200 x 200 x 23 (44 including handset)  
Time to answer or open the door since the call is done 30 s.  
Conversation time 90 s.  
Conversation privacy Yes  
Voltage 18 Vdc  
Maximum consumption (mA) 230  
Standby consumption (mA) 35  
Working temperature (°C) [-5°C, +40°C]  
Humidity [0%, 90%]  
Product Weight (kg) 0,59  
Line adaptor included in the terminal Yes (default position OFF)  
Connections Bin, Bin, Bout, Bout, -, A+, F1, T

**Weight:** 0,5916 kg

**Size of product when packed:** 5,1x22,2x20,7 cm

**FERMAX**

EAN 13: 8424299094052