










































































# Camera and Sensor Mounting Solutions

	Flush Mount 	Pendant Mount 	Wall Mount 	Pole Mount 	Corner Mount 	Electrical Box Mount
<b>FIXED DOMES</b>						
<b>ME4 Outdoor IR Dome</b> 32459-101 	<b>Flush Mount Adaptor</b> 33306 	<b>1.5" NPT Mount Adaptor</b> 33285  + <b>Pendant Mount</b> HOMINIDOMESMA	<b>Wall Mount</b> (indoor applications only) 33088  OR <b>1.5" NPT Mount Adaptor</b> 33285  + <b>Wall Mount</b> HOMINIDOMEWB	<b>1.5" NPT Mount Adaptor</b> 33285  + <b>Wall Mount</b> HOMINIDOMEWB  + <b>Pole Adaptor</b> HOMINIDOMEPPA 	<b>1.5" NPT Mount Adaptor</b> 33285  + <b>Wall Mount</b> HOMINIDOMEWB  + <b>Corner Adaptor</b> 27639 	Not Available
<b>SE2 Outdoor IR Dome</b> 35834-101 		OR <b>1.5" NPT Mount Adaptor</b> 33285  + <b>Pendant Mount with Back Box</b> 36990 	OR <b>1.5" NPT Mount Adaptor</b> 33285  + <b>Wall Mount with Back Box</b> 36989 	OR <b>1.5" NPT Mount Adaptor</b> 33285  + <b>Wall Mount with Back Box</b> 36989  + <b>Pole Adaptor</b> HOMINIDOMEPPA 	OR <b>1.5" NPT Mount Adaptor</b> 33285  + <b>Wall Mount with Back Box</b> 36989  + <b>Corner Adaptor</b> 27639 	

	Flush Mount 	Pendant Mount 	Wall Mount 	Pole Mount 	Corner Mount 	Electrical Box Mount 
<b>FIXED DOMES</b>						
<p><b>ME4 IR MicDome</b> 33164-101 33164-102</p> 	<p>Not Available</p>	<p><b>1.5" NPT Mount Adaptor</b> 33287</p>  <p>+</p> <p><b>Pendant Mount</b> HOMINIDOMESMA</p>  <p>OR</p> <p><b>1.5" NPT Mount Adaptor</b> 33287</p>  <p>+</p> <p><b>Pendant Mount with Back Box</b> 36990</p> 	<p><b>Wall Mount</b> 33286</p>  <p>OR</p> <p><b>1.5" NPT Mount Adaptor</b> 33287</p>  <p>+</p> <p><b>Wall Mount</b> HOMINIDOMEWB</p>  <p>OR</p> <p><b>1.5" NPT Mount Adaptor</b> 33287</p>  <p>+</p> <p><b>Wall Mount with Back Box</b> 36989</p> 	<p><b>1.5" NPT Mount Adaptor</b> 33287</p>  <p>+</p> <p><b>Wall Mount</b> HOMINIDOMEWB</p>  <p>+</p> <p><b>Pole Adaptor</b> HOMINIDOMEPTMA</p>  <p>OR</p> <p><b>1.5" NPT Mount Adaptor</b> 33287</p>  <p>+</p> <p><b>Wall Mount with Back Box</b> 36989</p>  <p>+</p> <p><b>Pole Adaptor</b> HOMINIDOMEPTMA</p> 	<p><b>1.5" NPT Mount Adaptor</b> 33287</p>  <p>+</p> <p><b>Wall Mount</b> HOMINIDOMEWB</p>  <p>+</p> <p><b>Corner Adaptor</b> 27639</p>  <p>OR</p> <p><b>1.5" NPT Mount Adaptor</b> 33287</p>  <p>+</p> <p><b>Wall Mount with Back Box</b> 36989</p>  <p>+</p> <p><b>Corner Adaptor</b> 27639</p> 	<p><b>Adaptor Plate</b> 36068</p> 

	Flush Mount 	Pendant Mount 	Wall Mount 	Pole Mount 	Corner Mount 	Electrical Box Mount 
FIXED DOMES						
<b>SE2 Indoor IR Dome</b> 35835-101  <i>available with smoked bubble</i>		<b>1.5" NPT Mount Adaptor</b> 33287  + <b>Pendant Mount</b> HOMINIDOMESMA 	<b>Wall Mount</b> 33286  OR <b>1.5" NPT Mount Adaptor</b> 33287  + <b>Wall Mount</b> HOMINIDOMEWB 	<b>1.5" NPT Mount Adaptor</b> 33287  + <b>Wall Mount</b> HOMINIDOMEWB  + <b>Pole Adaptor</b> HOMINIDOMEPPA 	<b>1.5" NPT Mount Adaptor</b> 33287  + <b>Wall Mount</b> HOMINIDOMEWB  + <b>Corner Adaptor</b> 27639 	<b>Adaptor Plate</b> 36068 
<b>SE2 Indoor NanoDome</b> 33836-101 	Not Available	OR <b>1.5" NPT Mount Adaptor</b> 33287  + <b>Pendant Mount with Back Box</b> 36990 	OR <b>1.5" NPT Mount Adaptor</b> 33287  + <b>Wall Mount with Back Box</b> 36989 	OR <b>1.5" NPT Mount Adaptor</b> 33287  + <b>Wall Mount with Back Box</b> 36989 	OR <b>1.5" NPT Mount Adaptor</b> 33287  + <b>Wall Mount with Back Box</b> 36989 	
		OR <b>0.75" EMT Mount Adaptor</b> 36158 		+ <b>Pole Adaptor</b> HOMINIDOMEPPA 	+ <b>Corner Adaptor</b> 27639 	

	Flush Mount 	Pendant Mount 	Wall Mount 	Pole Mount 	Corner Mount 	Electrical Box Mount
<b>FIXED DOMES</b>						
<b>CA2 IR MiniDome Z</b> 35481-101   Note: For applications where the dome will be mounted to a hard surface, and the cable must be routed through the side of the housing, you can order the Side Cable Access Housing. <a href="#">37018</a> 			<b>Wall Mount</b> 37017   NOTE: The Wall Mount is not compatible with the Side Cable Access Housing.			
<b>CA2 IR MicroDome</b> 35480-101 	This dome can be surface-mounted out of the box; no additional mounting options are available. All mounting accessories for drop-ceiling applications are included in the box.					
<b>SDA Indoor IR Dome</b> 35482-101 	This dome can be surface-mounted out of the box; no additional mounting options are available. All mounting accessories for drop-ceiling applications are included in the box.					
<b>SDA Outdoor IR Dome</b> 35540-101 	This dome can be surface-mounted out of the box; no additional mounting options are available.					
<b>ME4 Discreet IR Dome</b> 33208-101 	This dome can be surface-mounted out of the box; no additional mounting options are available.					

	Flush Mount 	Pendant Mount 	Wall Mount 	Pole Mount 	Corner Mount 	Electrical Box Mount
<b>PTZ DOMES</b>						
<b>ME3 Pendant IR PTZ 40x</b> 36896-101 	Not Available	<b>Pendant Mount</b> HOMINIDOMESMA  OR <b>Pendant Mount with Back Box</b> 36990 	<b>Wall Mount</b> HOMINIDOMEWB  OR <b>Wall Mount with Back Box</b> 36989 	<b>Wall Mount</b> HOMINIDOMEWB  + <b>Pole Adaptor</b> HOMINIDOMEPM  OR <b>Wall Mount with Back Box</b> 36989 	<b>Wall Mount</b> HOMINIDOMEWB  + <b>Corner Adaptor</b> 27639  OR <b>Wall Mount with Back Box</b> 36989 	Not Available
<b>SE2 Pendant PTZ 30x</b> 36861-101  <i>available with smoked bubble</i>		Not Available	<b>Pendant Mount with Back Box</b> 36990 	<b>Wall Mount with Back Box</b> 36989 	<b>Pole Adaptor</b> HOMINIDOMEPM 	<b>Corner Adaptor</b> 27639 
<b>SE2 Flush PTZ 30x</b> 36860-101  <i>available with smoked bubble</i>	This dome can be flush-mounted out of the box; no additional mounting options are available.					

	<b>Flush Mount</b> 	<b>Pendant Mount</b> 	<b>Wall Mount</b> 	<b>Pole Mount</b> 	<b>Corner Mount</b> 	<b>Electrical Box Mount</b> 
--	------------------------	--------------------------	-----------------------	-----------------------	-------------------------	---------------------------------

**BULLET CAMERAS**

<b>ME4 IR Bullet Camera</b> 33166-101 33166-102 	Not Available	Not Available	<b>Wall Mount Back Box</b> 33227 	<b>Pole Mount Back Box</b> 33226 	Not Available	Not Available
---	---------------	---------------	---	---	---------------	---------------

<b>BOX CAMERAS</b>	<b>Indoor Wall/Ceiling Mount</b> 	<b>Indoor/Outdoor Wall Mount</b> 	<b>Indoor/Outdoor Ceiling Mount</b> 
--------------------	--------------------------------------	--------------------------------------	---









<b>ME4 Box Cameras</b> 33168-101 33168-102 33168-103 	<b>Wall/Ceiling Mount</b> HOWSCAMWB 	<b>Environmental Housing</b> 26481  <b>Wall Mount</b> 26485 	<b>Environmental Housing</b> 26481  <b>Ceiling Mount</b> 26486 
---	--	---	--

<b>ATM CAMERAS</b>	<b>Short Mounting Bracket</b>	<b>Standard Mounting Bracket</b>	<b>View Window Mounting Bracket</b>
--------------------	-------------------------------	----------------------------------	-------------------------------------



<b>Self-contained ATM Camera ("cube")</b> 31763 32044 	<b>Mounting Bracket</b> Ships with camera 	<b>Mounting Bracket</b> Ships with camera 	Not Available
<b>Modular ATM Camera</b> 34112-101 	Not Available	<b>Mounting Bracket</b> 34278 	<b>Mounting Bracket</b> 34273  for NCR 6634 ATM

<b>ANALYTICS SENSORS</b>	<b>Indoor Surface Mount</b>	<b>Indoor Flush Mount</b>	<b>Indoor Wall/Ceiling Mount</b>	<b>Outdoor Wall Mount</b>
--------------------------	-----------------------------	---------------------------	----------------------------------	---------------------------







<b>Brickstream Sensors</b> 34820-101 34821-101 34822-101 34823-101 	<b>Surface Mount</b> Ships with camera 	<b>Flush Mount Adaptor</b> 34817 	<b>Wall/Ceiling Mount</b> HOWSCAMWB 	<b>Wall Mount</b> 34818 
--	---	---	--	--------------------------------







Mount	Photo	Drawing	Indoor	Outdoor	Construction	Compatible With	Additional Mounting Accessories Required
<b>FLUSH MOUNT ADAPTORS</b>							
<b>33306</b> <b>Flush Mount Adaptor</b> For flush-mounting various domes			•	•	<b>Material:</b> Steel/plastic assembly <b>Color:</b> White <b>Weight:</b> 2.0 lbs (0.91 kg)	ME4 Outdoor IR Dome <a href="#">32459-101</a> SE2 Outdoor IR Dome <a href="#">35834-101</a>	
<b>1.5" NPT MOUNT ADAPTORS</b>							
<b>33285</b> <b>1.5" NPT Mount Adaptor with Sunshield</b> For mounting various domes to industry-standard NPT mounts			•	•	<b>Material:</b> Plastic <b>Color:</b> White <b>Weight:</b> 1.0 lb (0.45 kg)	ME4 Outdoor IR Dome <a href="#">32459-101</a> SE2 Outdoor IR Dome <a href="#">35834-101</a>	Any 1.5" NPT mount <a href="#">HOMINIDOMESMA</a> <a href="#">HOMINIDOMEWB</a>
<b>33287</b> <b>1.5" NPT Mount Adaptor</b> For mounting various domes to industry-standard NPT mounts			•	•	<b>Material:</b> Aluminum <b>Color:</b> White <b>Weight:</b> 0.4 lb (0.18 kg)	ME4 IR MicDome <a href="#">33164-101</a> <a href="#">33164-102</a> SE2 Indoor IR Dome <a href="#">35835-101</a> SE2 Indoor NanoDome <a href="#">33836-101</a>	Any 1.5" NPT mount <a href="#">HOMINIDOMESMA</a> <a href="#">HOMINIDOMEWB</a>
<b>0.75" EMT MOUNT ADAPTORS</b>							
<b>36158</b> <b>0.75" EMT Mount Adaptor</b> For mounting the SE2 Indoor NanoDome and SE2 Indoor IR Dome to industry-standard EMT mounts			•		<b>Material:</b> Aluminum <b>Color:</b> White <b>Weight:</b> 1.0 lb (0.45 kg)	SE2 Indoor IR Dome <a href="#">35835-101</a> SE2 Indoor NanoDome <a href="#">33836-101</a>	Any industry standard EMT Mount











Mount	Photo	Drawing	Indoor	Outdoor	Construction	Compatible With	Additional Mounting Accessories Required
<b>PENDANT MOUNTS</b>							
<b>HOMINIDOMESMA</b> <b>Pendant Mount</b> For mounting various domes to a ceiling			•	•	<b>Material:</b> Aluminum <b>Color:</b> White <b>Weight:</b> 1.21 lbs (0.55 kg)	ME4 Outdoor IR Dome <a href="#">32459-101</a> ME4 IR MicDome <a href="#">33164-101</a> <a href="#">33164-102</a> ME3 Pendant IR PTZ 40x <a href="#">36896-101</a> SE2 Outdoor IR Dome <a href="#">35834-101</a> SE2 Indoor IR Dome <a href="#">35835-101</a> SE2 Indoor NanoDome <a href="#">33836-101</a> SE2 Pendant PTZ 30x <a href="#">36861-101</a>	The compatible NPT mount adaptor for the dome to be mounted <a href="#">33285</a> <a href="#">33287</a>  <i>No NPT mount adaptor required for PTZ domes</i>
<b>36990</b> <b>Pendant Mount with Back Box</b> For mounting various domes to a ceiling			•	•	<b>Material:</b> Aluminum <b>Color:</b> White sand-tone <b>Weight:</b> 3.54 lbs (1.61 kg)	ME4 Outdoor IR Dome <a href="#">32459-101</a> ME4 IR MicDome <a href="#">33164-101</a> <a href="#">33164-102</a> ME3 Pendant IR PTZ 40x <a href="#">36896-101</a> SE2 Outdoor IR Dome <a href="#">35834-101</a> SE2 Indoor IR Dome <a href="#">35835-101</a> SE2 Indoor NanoDome <a href="#">33836-101</a> SE2 Pendant PTZ 30x <a href="#">36861-101</a>	The compatible NPT mount adaptor for the dome to be mounted <a href="#">33285</a> <a href="#">33287</a>  <i>No NPT mount adaptor required for PTZ domes</i>

Mount	Photo	Drawing	Indoor	Outdoor	Construction	Compatible With	Additional Mounting Accessories Required
<b>WALL MOUNTS</b>							
<b>33088</b> <b>Short Wall Mount</b> For mounting various domes to a wall			•		<b>Material:</b> Plastic <b>Color:</b> White <b>Weight:</b> 0.5 lb (0.23 kg)	ME4 Outdoor IR Dome (when installed indoors) <a href="#">32459-101</a> SE2 Outdoor IR Dome (when installed indoors) <a href="#">35834-101</a>	None
<b>37017</b> <b>Wall Mount</b> For mounting the CA2 IR MiniDome Z to a wall			•	•	<b>Material:</b> Aluminum <b>Color:</b> White sand-tone <b>Weight:</b> 1.45 lbs (0.66 kg)	CA2 IR MiniDome Z <a href="#">35481-101</a>	None
<b>36989</b> <b>Wall Mount with Back Box</b> For mounting various domes to a wall			•	•	<b>Material:</b> Aluminum <b>Color:</b> White sand-tone <b>Weight:</b> 4.48 lbs (2.03 kg)	ME4 Outdoor IR Dome <a href="#">32459-101</a> ME4 IR MicDome <a href="#">33164-101</a> <a href="#">33164-102</a> ME3 Pendant IR PTZ 40x <a href="#">36896-101</a> SE2 Outdoor IR Dome <a href="#">35834-101</a> SE2 Indoor IR Dome <a href="#">35835-101</a> SE2 Indoor NanoDome <a href="#">33836-101</a> SE2 Pendant PTZ 30x <a href="#">36861-101</a>	The compatible NPT mount adaptor for the dome to be mounted <a href="#">33285</a> <a href="#">33287</a>  <i>No NPT mount adaptor required for PTZ domes</i>
<b>33286</b> <b>Short Wall Mount</b> For mounting various domes to a wall			•	•	<b>Material:</b> Plastic <b>Color:</b> White <b>Weight:</b> 0.3 lb (0.14 kg)	ME4 IR MicDome <a href="#">33164-101</a> <a href="#">33164-102</a> SE2 Indoor IR Dome <a href="#">35835-101</a> SE2 Indoor NanoDome <a href="#">33836-101</a>	None

Mount	Photo	Drawing	Indoor	Outdoor	Construction	Compatible With	Additional Mounting Accessories Required
<b>WALL MOUNTS</b>							
<b>HOMINIDOMEWB</b> <b>Long Wall Mount</b> For wall mounting various domes			•	•	<b>Material:</b> Aluminum <b>Color:</b> White <b>Weight:</b> 1.21 lbs (0.55 kg)	ME4 Outdoor IR Dome <a href="#">32459-101</a> ME4 IR MicDome <a href="#">33164-101</a> <a href="#">33164-102</a> ME3 Pendant IR PTZ 40x <a href="#">36896-101</a> SE2 Outdoor IR Dome <a href="#">35834-101</a> SE2 Indoor IR Dome <a href="#">35835-101</a> SE2 Indoor NanoDome <a href="#">33836-101</a> SE2 Pendant PTZ 30x <a href="#">36861-101</a>	The compatible NPT mount adaptor for the dome to be mounted <a href="#">33285</a> <a href="#">33287</a>  <i>No NPT mount adaptor required for PTZ domes</i>
<b>33227</b> <b>Wall Mount Back Box</b> For mounting the ME4 IR Bullet Camera to a wall			•	•	<b>Material:</b> Aluminum <b>Color:</b> White <b>Weight:</b> 2.0 lbs (0.91 kg)	ME4 IR Bullet <a href="#">33166-101</a> <a href="#">33166-102</a>	None
<b>HOWSCAMWB</b> <b>Wall/Ceiling Mount</b> For mounting box camera and analytics sensors			•		<b>Material:</b> Plastic/aluminum <b>Color:</b> White <b>Weight:</b> .33 lbs (.150 kg)	ME4 IR Box Camera <a href="#">33168-101</a> <a href="#">33168-102</a> <a href="#">33168-103</a> Brickstream Analytics Sensors <a href="#">34820-101</a> <a href="#">34821-101</a> <a href="#">34822-101</a> <a href="#">34823-101</a>	

Mount	Photo	Drawing	Indoor	Outdoor	Construction	Compatible With	Additional Mounting Accessories Required
<b>POLE MOUNT ADAPTORS</b>							
<b>HOMINIDOMEPMA</b> <b>Pole Adaptor</b> For mounting various domes to a pole			•	•	<b>Material:</b> Steel <b>Color:</b> White <b>Weight:</b> 2.87 lbs (1.30 kg)	ME4 Outdoor IR Dome <a href="#">32459-101</a> ME4 IR MicDome <a href="#">33164-101</a> <a href="#">33164-102</a> ME3 Pendant IR PTZ 40x <a href="#">36896-101</a> SE2 Outdoor IR Dome <a href="#">35834-101</a> SE2 Indoor IR Dome <a href="#">35835-101</a> SE2 Indoor NanoDome <a href="#">33836-101</a> SE2 Pendant PTZ 30x <a href="#">36861-101</a>	Wall Mount <a href="#">HOMINIDOMEWB</a> The compatible NPT mount adaptor <a href="#">33285</a> <a href="#">33287</a> <i>No NPT mount adaptor required for PTZ domes</i>
<b>33226</b> <b>Pole Mount Back Box</b> For mounting the ME4 IR Bullet Camera to a pole			•	•	<b>Material:</b> Aluminum <b>Color:</b> White <b>Weight:</b> 2.0 lbs (0.91 kg)	ME4 IR Bullet <a href="#">33166-101</a> <a href="#">33166-102</a>	None
<b>CORNER MOUNT ADAPTORS</b>							
<b>27639</b> <b>Corner Adaptor</b> For mounting various domes to a corner			•	•	<b>Material:</b> Steel <b>Color:</b> Ivory <b>Weight:</b> 5.29 lbs (2.4 Kg)	ME4 Outdoor IR Dome <a href="#">32459-101</a> ME4 IR MicDome <a href="#">33164-101</a> <a href="#">33164-102</a> ME3 Pendant IR PTZ 40x <a href="#">36896-101</a> SE2 Outdoor IR Dome <a href="#">35834-101</a> SE2 Indoor IR Dome <a href="#">35835-101</a> SE2 Indoor NanoDome <a href="#">33836-101</a> SE2 Pendant PTZ 30x <a href="#">36861-101</a>	Wall Mount <a href="#">HOMINIDOMEWB</a> The compatible NPT mount adaptor <a href="#">33285</a> <a href="#">33287</a> <i>No NPT mount adaptor required for PTZ domes</i>

Mount	Photo	Drawing	Indoor	Outdoor	Construction	Compatible With	Additional Mounting Accessories Required
<b>ATM CAMERA MOUNTS</b>							
<b>Short Mounting Bracket (ships with camera)</b> For mounting the self-contained ATM camera inside an ATM		 <p>Technical drawing showing front and side views of the Short Mounting Bracket. Dimensions include: 1.38" (3.5cm) total width, 1.09" (2.78cm) distance between mounting holes, 1.12" (2.85cm) height, 0.73" (1.85cm) mounting hole offset, 1.81" (4.6cm) side height, 1.53" (3.88cm) angled side height, and a 68-degree angle.</p>	•		<b>Material:</b> Steel <b>Color:</b> Black <b>Weight:</b> 0.25 lb (0.12 kg)	Self-contained ATM Camera ("cube") <a href="#">31763</a> <a href="#">32044</a>	None
<b>Standard Mounting Bracket (ships with camera)</b> For mounting the self-contained ATM camera inside an ATM		 <p>Technical drawing showing front, side, and top views of the Standard Mounting Bracket. Dimensions include: 1.38" (3.5cm) total width, 1.09" (2.78cm) distance between mounting holes, 1.12" (2.85cm) height, 0.73" (1.85cm) mounting hole offset, 1.81" (4.6cm) side height, 1.53" (3.88cm) angled side height, 68-degree angle, 4.13" (10.5cm) top view length, and 0.75" (1.9cm) top view width. A detail shows a thickness of 0.06" (1.5cm).</p>	•		<b>Material:</b> Steel <b>Color:</b> Black <b>Weight:</b> 0.5 lb (0.23 kg)	Self-contained ATM Camera ("cube") <a href="#">31763</a> <a href="#">32044</a>	None
<b>34278 Standard Mounting Bracket</b> For mounting the modular ATM camera inside an ATM		 <p>Technical drawing showing front, side, and top views of the 34278 Standard Mounting Bracket. Dimensions include: 1.38" (3.5cm) total width, 1.09" (2.78cm) distance between mounting holes, 1.12" (2.85cm) height, 0.73" (1.85cm) mounting hole offset, 1.81" (4.6cm) side height, 1.53" (3.88cm) angled side height, 68-degree angle, 4.13" (10.5cm) top view length, and 0.75" (1.9cm) top view width. A detail shows a thickness of 0.06" (1.5cm).</p>	•		<b>Material:</b> Steel <b>Color:</b> Black <b>Weight:</b> 0.5 lb (0.23 kg)	Modular ATM Camera <a href="#">34112-101</a>	None
<b>34273 View Window Mounting Bracket</b> For mounting the modular ATM camera inside an NCR 6634 ATM		 <p>Technical drawing showing front, side, and perspective views of the 34273 View Window Mounting Bracket. Dimensions include: 2.36" (6.0cm) height, 5.53cm (218mm) width, and 1.57" (4.0cm) depth.</p>	•		<b>Material:</b> Plastic <b>Color:</b> Black with clear window <b>Weight:</b> 0.5 lbs (0.23 kg)	Modular ATM Camera <a href="#">34112-101</a>	None

Mount	Photo	Drawing	Indoor	Outdoor	Construction	Compatible With	Additional Mounting Accessories Required
<b>SIDE CABLE ACCESS HOUSINGS</b>							
<b>37018</b> <b>Side Cable Access Housing</b> For mounting the CA2 IR MiniDome Z to a hard surface					<b>Material:</b> Aluminum <b>Color:</b> White sand-tone <b>Weight:</b> 1.05 lbs (0.48 kg)	CA2 IR MiniDome Z 35481	None
<b>ENVIRONMENTAL HOUSING AND ACCESSORIES</b>							
<b>26481</b> <b>Environmental Housing</b> For mounting box cameras outdoors			•	•	<b>Material:</b> Aluminum <b>Color:</b> Gray/White <b>Weight:</b> 9.50 lbs (4.30 kg)	ME4 IR Box Camera 33168-101 33168-102 33168-103	Wall Mount 26485 <b>OR</b> Ceiling Mount 26486
<b>26485</b> <b>Wall Mount</b> For mounting the environmental housing to a wall			•	•	<b>Material:</b> Aluminum <b>Color:</b> Gray/White <b>Weight:</b> 1.32 lbs (0.60 kg)	ME4 IR Box Camera 33168-101 33168-102 33168-103	Environmental Housing 26481
<b>26486</b> <b>Ceiling Mount</b> For mounting the environmental housing to a ceiling			•	•	<b>Material:</b> Aluminum <b>Color:</b> Gray/White <b>Weight:</b> 2.87 lbs (1.30 kg)	ME4 IR Box Camera 33168-101 33168-102 33168-103	Environmental Housing 26481

Mount	Photo	Drawing	Indoor	Outdoor	Construction	Compatible With	Additional Mounting Accessories Required
<b>ANALYTICS SENSOR MOUNTS</b>							
<b>34817</b> <b>Flush Mount Adaptor</b> For flush mounting the sensor			•		<b>Material:</b> Plastic <b>Color:</b> White <b>Weight:</b> 1.0 lbs (0.45 kg)	Brickstream Sensors <a href="#">34820-101</a> <a href="#">34821-101</a> <a href="#">34822-101</a> <a href="#">34823-101</a>	None
<b>34818</b> <b>Wall Mount</b> For mounting the sensor to a wall			•	•	<b>Material:</b> Metal <b>Color:</b> White <b>Weight:</b> 3.0 lbs (1.36 kg)	Brickstream Sensors <a href="#">34820-101</a> <a href="#">34821-101</a> <a href="#">34822-101</a> <a href="#">34823-101</a>	None
<b>ELECTRICAL BOX MOUNTS</b>							
<b>36068</b> <b>Electrical Mount Adaptor Plate (surface mount)</b> For surface-mounting various domes to a double-ganged deep electrical box			•		<b>Material:</b> Plastic <b>Color:</b> White <b>Weight:</b> 0.15 lb (0.07 kg)	ME4 IR MicDome <a href="#">33164-101</a> <a href="#">33164-102</a> SE2 Indoor IR Dome <a href="#">35835-101</a> SE2 Indoor NanoDome <a href="#">33836-101</a>	None