

# PARABIT

*Enhancing Self-Service & Improving Security*

## ATM Door Lock/Exit Hardware Catalog

2014

ATM Door  
Lock/Exit  
Hardware

Building Access

Locking Devices

EXIT  
Devices

Power Supplies

Light

Monitor

Digital Signage

**Part # 300-30030**  
**Tubular Touch Sensitive**  
**Brushed Stainless Steel Bar**

Coating Colors Available  
 \* 4-6 Weeks Lead Time

Stock Finishes Available:  
 US32D Brushed Stainless Steel

Available In:  
 US32 Chrome  
 DB335 Duranodic  
 US28 Satin Aluminum, Anodized  
 US19 Satin Black, Anodized  
 US10 Satin Bronze  
 US10B Dark Satin Bronze, Anodized  
 US4 Brass  
 US3 Bright Brass  
 US26 Bright Chrome

\*Custom Finishes Available



**\*Special Order**

\* Image Shown In  
 Brushed Stainless Steel

**Part # 300-30031**  
**Tubular "L" Shaped**  
**Touch Bars**

Coating Colors Available  
 \* 4-6 Weeks Lead Time

Finishes Available:

US4 Brass  
 US32 Chrome  
 DB335 Duranodic  
 US32D Brushed Stainless Steel  
 PS Polished Steel

\*Custom Finishes Available  
 Look Above For Selection

\*Please Specify Left or Right



**\*Special Order**

**Part # 300-20012**

-Glass Adhesive Kit



**Part # 300-30005**

Mechanical Touch Bar  
 -Clear Anodized Finish  
 \*No Power Required  
 \*48" and other custom sizes available



**Part # 300-30004**

-Mechanical Touch Bar  
 -Duranodic Finish  
 \*No Power Required  
 \*48" and other custom sizes available



**Part # 300-30007**

-Clear VD Mechanical Touch Bar w/rx Switch (Dummy Bar w/rx switch)



**Part # 300-30008**

-Duranodic VD Mechanical Touch Bar w/rx



**Part # 300-30009**

-RIM Mount Mechanical Latch Release Bar



**Part # 300-30010**

-Mortise Mechanical Latch Release Bar



**Part # 300-30001**

-Mechanical Bar Clear 36"

**Part # 300-30002**

-Mechanical Bar Duranodic 36"



**Part # 300-20013**

-Glass Door Bracket



## Part # 100-00209

- Exit Button With Narrow Plate
- DPST Push Button Switch
- 60A at 120VAC
- 6A at 120VAC
- 1 3/4"W x 4 1/2"H
- Pneumatic Time Delay Form - Z



## Part # 100-00208

- Exit Button With Wide Plate
- DPST Push Button Switch
- 60A at 120VAC
- 6A at 120VAC
- 2 3/4"W x 4 1/2"H
- Pneumatic Time Delay Form - Z



## Part # 300-30032

- Exit Button With Narrow Plate
- DPDT Push Button Switch
- 6A at 125VAC
- 3A at 250VAC
- 1 3/4"W x 4 1/2"H



## Part # 300-30037

- Exit Button With Wide Plate
- DPDT Push Button Switch
- 6A at 125VAC
- 3A at 250VAC
- 2 13/16"W x 4 1/2"H



## Part # 100-00191

- Exit Button With Narrow Plate
- DPST Push Button Switch
- 6A at 125VAC
- 3A at 250VAC
- 1 1/2"W x 4 3/4"H



## Part # 100-00192

- Exit Button With Wide Plate
- DPST Push Button Switch
- 6A at 125VAC
- 3A at 250VAC
- 4 3/4"W x 4 3/4"H



## Part # 100-00098

- Exit Bar Mount Kit For Glass
- Includes Adhesive, Mounting Brackets & Cover Plates



## Part # 300-30011

- Touch Sensor For 1-1/8" I.D.
- Tube 5 wire-low sensor F.S.
- 12VDC



## Part # 300-20004

- Glass Door Bracket for 672 Bar



## Part # 300-20016

- Exit Bar Armored Cord
- Used For Running Cable From Door Frame to Exit Bar on Door



## Part # 300-20015

- Exit Bar Armored Cord
- Used For Running Cable From Door Frame to Exit Bar on Door



## Part # 300-40002

- White Motion Request To Exit Sensor
- 2 Form C Relay Outputs (N.O. & N.A.)
- 12-28VDC or VAC Input Voltage
- 1 3/4"W x 7 1/8"H x 2"D



## Part # 300-40001

- White Motion Request To Exit Sensor
- 2 Form C Relay Outputs (N.O. & N.A.)
- 12-28VDC or VAC Input Voltage
- 1 3/4"W x 7 1/8"H x 2"D



## Part # 300-30018

- Blank Mortise Cylinder
- 1 1/4" Diameter



## Part # 300-30019

- Keyed Mortise Cylinder With 2 Keys
- \*Keys Cannot be Duplicated- they must be ordered.*
- 1 1/4" Diameter



## Part # 300-30029

- Extra Key for Medeco Style Key Override Switch (XX= 03, 04, 05 or 06 key)



## Part # 300-30014

- Momentary Mortise Key Override Switch With Narrow Plate
- D.P.D.T. Switch
- 6A at 125VAC (both)
- 3A at 250VAC
- 1 3/4"W x 4 1/2"H (both)

\* 1 1/4" Mortise Lock Cylinder Sold Separately



## Part # 300-30016

- Momentary Mortise Key Override Switch With Wide Plate
- D.P.D.T. Switch
- 6A at 125VAC (both)
- 3A at 250VAC
- 2 3/4"W x 4 1/2"H



## Part # 300-30023

- Momentary Key Override Switch With Narrow Plate w/2 Keys
- D.P.D.T. Switch
- 1 1/2"W x 4 7/16"H



*\*Keys Cannot be Duplicated - they must be ordered.*

## Part # 300-30035

- Continuous Mortise Key Override Switch with Narrow Plate
- D.P.D.T. Switch

## Part # 300-30017

- Continuous Mortise Key Override Switch With Wide Plate

## Part # 300-30025

- Continuous Key Override Switch With Narrow Plate w/2 Keys
- D.P.D.T. Switch

## Part # 300-30024

- Momentary Key Override Switch With Wide Plate w/2 Keys
- D.P.D.T. Switch
- 2 3/4"W x 4 1/2"H



*\*Keys Cannot be Duplicated- they must be ordered.*

## Part # 300-30027

- Momentary Key Override Switch
- D.P.D.T. Switch
- \*Keys Cannot be Duplicated- they must be ordered.*



## Part # 300-30020

- MORTISE CYLINDER WITH INTERCHANGEABLE CORE
- 1 1/4" DIAMETER



## Part # 300-30026

- Continuous Key Override Switch With Wide Plate w/2 Keys
- D.P.D.T. Switch

## Part # 300-30028

- Continuous Key Override Switch
- D.P.D.T. Switch
- \*Keys Cannot be Duplicated- they must be ordered.*

## Part # 300-40006 Light Monitor

- Detects Fluctuations in Incandescent and Luminescent Light Levels From 1 to 75 Foot Candles
- 2 Form C Relay Outputs (N.O. & N.A.)
- 12VDC -200ma
- \*Output Relay: 5PDT Form C Dry Contact
- 2 13/16"W x 4 5/8"H



## Part # 100-00067

- Surface Mount Back Box For DH-LS-1 Light Monitor
- \*Interior Use Only
- 3 1/8"W x 4 1/4"H x 1"D



## Part # 100-00119

- Outdoor Weather shield For DH-LS-1 Light Monitor
- Type 304 stainless steel
- 3.5"W x 6.5"H x 3"D
- \* Must be purchased with DH-LS-1-BB



## Part # 100-00095

- Surface Mount Weather Resistant Case For DH-LS-1 Light Monitor
- \*Exterior Use Only
- 2 3/4"W x 4 1/2"H x 2"D



# Locking Devices

## Part # 300-10024

- Single Magnetic Lock "L" Bracket w/cover for Herculite Door Installation

Available In:

PS Polished Stainless Steel  
CA Clear Anodized ALuminum

**\*Special Order**

\*Custom Powder Coat Colors Available



Motion Sensor Bracket

\*Maglock Not Included

## Part # 300-10017

- Double Magnetic Lock "L" Bracket w/cover for Herculite Door Installation

Available In:

PS Polished Stainless Steel  
CA Clear Anodized ALuminum

**\*Special Order**

\*Custom Powder Coat Colors Available



Motion Sensor Bracket

\*Maglocks Not Included

## Part # 300-10041

- Single K Waneer Magnetic Door Stainless Magnetic Lock L Bracket w/ Magnet cover, Motion REX Bracket and Cover

Available In:

PS Polished Stainless Steel  
CA Clear Anodized ALuminum

**\*Special Order**

\*Custom Powder Coat Colors Available



Motion Sensor Bracket

\*Maglock Not Included

## Part # 300-10040

- Double Magnetic Lock "L" Bracket w/cover for Herculite Door Installation

Available In:

PS Polished Stainless Steel  
CA Clear Anodized ALuminum

**\*Special Order**

\*Custom Powder Coat Colors Available



Motion Sensor Bracket

\*Maglocks Not Included

# Locking Devices

## Part # 100-00059

- Magnetic Lock Armature Adapter Plate which supports 320 & 390 Armature Plate
- Clear Anodized Aluminum Finish



## Part # 100-00060

- 320 Magnetic Lock Angle Mounting Bracket
- Clear Anodized Aluminum Finish



## Part # 300-20001

- 320 Magnetic Lock Angle Mounting Bracket
- Clear Anodized Aluminum Finish



## Part # 100-00061

- 390 Magnetic Lock Angle Mounting Bracket
- Clear Anodized Aluminum Finish



## Part # 300-20002

- 390 Magnetic Lock Armature Herculite Bracket
- Clear Anodized Aluminum Finish



## Part # 100-00062

- 1/4 Inch Spacer for 320 Magnetic Lock Mounting Bracket
- Clear Anodized Aluminum Finish



## Part # 300-20005

- For 320 Magnetic Lock
- Single Split Inswinging (TJ) Magnetic Lock Mounting Bracket
- Clear Anodized Aluminum Finish



## Part # 100-00063

- 1/4 Inch Spacer for 390 Magnetic Lock Mounting Bracket
- Clear Anodized Aluminum Finish



## Part # 100-00064

- 1/2 Inch Spacer for 320 Magnetic Lock Mounting Bracket
- Clear Anodized Aluminum Finish



## Part # 300-20017

- For 390 Magnetic Lock
- Single Split Inswinging (TJ) Magnetic Lock Mounting Bracket
- Clear Anodized Aluminum Finish

## Part # 100-00065

- 1/2 Inch Spacer for 390 Magnetic Lock Mounting Bracket
- Clear Anodized Aluminum Finish





# Locking Devices

## Part # 300-10013

- Failed Open Door Strike
- 12VDC
- .28A
- Faceplate Included
- 1 1/4"W x 4 7/8"H



## Part # 300-20014

- Door Contact
- \*Available in black
- Normally Open Contact
- 30VAC/DC Max
- 0.5A Max
- 7.5W Max 7.5W Max



## Part # 300-10015

- Surface mount Door Strike
- Dual Voltage 12 or 24 VDC
- Field selectable Fail Open or Fail Lock



## Part # 300-10016

- Flush Mount Door Strike Fail Lock
- Available 12V or 24V AC or AD



- Available in Fail Open

## Part # 300-10025

## Part # 300-10014

- Failed Lock Door Strike
- 12VDC
- .28A
- Faceplate Included
- 1 1/4"W x 4 7/8"H

## Part # 300-10001

- Double Magnetic Lock
- Clear Anodized Finish
- Options Available:
  - Bond Sensor **Part # 300-10003**
  - Door Sensor
- 12/24VDC Operating Voltage
- Amps: 1.2A at 12VDC
- Amps: .60A at 24VDC
- Holding Force: 1650 lbs per Door



## Part # 300-10002

- Double Magnetic Lock
- Duranodic Finish
- Options Available:
  - Bond Sensor **Part # 300-10004**
  - Door Sensor
- 12/24VDC Operating Voltage
- Amps: 1.2A at 12VDC
- Amps: .60A at 24VDC
- Holding Force: 1650 lbs per Door



## Part # 300-10031

- Single Magnetic Lock
- Clear Anodized Finish
- Options Available:
  - Bond Sensor **Part # 300-10007**
  - Amps: .75A at 12VDC
- Holding Force: 700lbs
- Door Sensor
- Amps: .38A at 24VDC



## Part # 300-10005

- Single Magnetic Lock
- Duranodic Finish
- Options Available:
  - Bond Sensor **Part # 300-10008**
  - Amps: .75A at 12VDC
- Holding Force: 700lbs
- Door Sensor
- Amps: .38A at 24VDC

# Power Supplies

## Part # 200-10031

- 8 Outlet
- 15 Amp w/resettable circuit breaker
- Audible Failure Alarm
- Protection Indicator Light
- 2160 Joules
- Telephone Line Protection



## Part # 200-00091

- ACS Controller UPS (Uninterruptable Power Supply)
- 350VA/210 Watt Capacity
- Fault Indicator Light
- Powerless Audible Alarm
- 3 Surge Protected Outlets
- 3 Battery Backup and Surge Protected Outlets
- Resettable Circuit Breaker



## Part # 200-10029

- 16.5 VAC 40 VA Transformer
- \*Used with 12V 3 AMP Power Supply



## Part # 200-10026

- 12VDC 5 Amp Power Supply
- 12"h x 12"w x 4.125"d
- Includes Backup Battery



## Part # 200-10136

- 12VDC 1 Amp Power Transformer
- \*Used with ACS-1 Controller
- Power Indicator Light



## Part # 200-10027

- 12VDC 3 Amp Power Supply
- 12"h x 12"w x 4.125"d
- \* Includes 16.5 VAC 40 VA Transformer
- Available with Backup Battery



## Part # 200-10030

- 7AH Battery



## Part # 200-20018

- 2.5 Amp 24 VDC Power Supply

