



Storage Solutions Designed for Surveillance



Features

Optimized for Surveillance

Storage appliance optimized for IP video surveillance.

Extensive VMS Support

Certified/tested with the world's leading video management software.

Midsize to Large-Scale Solutions

Ideal for more than a hundred full-HD IP cameras, perfect for banking, retail, gaming, manufacturing, and more.

Cost Effective & Scalable

Integrated solution results in less management overhead; it's easy andeconomical to expand storage capacity using the Promise JBOD external storage series.

Easy to Administer & Maintain

Hot swappable drive bays, redundant power supplies, & One Plug Auto Service (OPAS) ensure Vess is incredibly easy to administer and maintain.



Optimized for Video Surveillance

The Vess A6000 Series storage appliance is specially engineered for IP video surveillance deployment on medium to large scale; ideally suited for surveillance systems in banks, malls, casinos, factories, warehouses, commercial, residential, governmental or private enterprises. The subsystems are capable of continuous recording and playback operation without dropping frames.

Higher Capacity with Better Design

Two options for large HDD capacity enclosures are available: a 3U 16-drive (Vess A6600) and 4U 24-drive (Vess A6800). Combined with Promise Technology knowhow creates an outstanding combination of performance and reliability for Midsize to Large-Scale surveillance deployments. For larger storage system requirements, the system is cost effect using the Promise JBOD products to extend capacity without the added expense of an additional RAID server.

Reduces Deployment Costs and Complexity

Support and equipment costs are reduced; without a separate RAID storage unit to manage, there is no longer a need for a server, controller cards, external cables, and a separate storage enclosure. Additionally, the Vess A6000 Series reduces interoperability conflicts caused when integrating different hardware.

SMARTBOOST™ Technology

PROMISE proprietary SMARTBOOST™ Technology provides the most stable and high performance storage solution for your surveillance system. Performance that can be limited by storage equipment bottlenecks is significantly improved by Promise SMARTBOOST™ Technology. With the optimized software features and FRU hardware design, you have the best stability and storage performance with the best C/P ratio.

Reduce the complexity of Maintenance by OPAS

One Plug Auto Service (OPAS), a feature unique to Promise's video surveillance solutions, offering user convenience, reduced complexity, lower maintenance cost and streamlined technical support. OPAS enables users to easily collect all the necessary logs and data used by the Promise support team to analyze.





Technical Specifications





| Madal | 1/ 1/100 |
|-------|------------|
| Model | Vess A6600 |

Vess A6800

| | | 1 455 7 10000 |
|-------------------------------|--|---|
| General Information | | |
| Camera Range ¹ | 150 | 200 |
| Form Factor | 3U, 19" Rackmount | 4U, 19" Rackmount |
| Number Of Drives | 16 Drives (3.5") | 24 Drives (3.5") |
| Drive Type | 12Gbs SAS/ 6Gbs SATA @ 3.5", SSD capable @2.5" ² , Hot Swappable | |
| # of Controllers | Single | |
| System Processor | Intel® Core™ i3-7101E/ Intel Xeon E3-1275v5 | Intel® Core™ i7-7700 |
| System Memory | 8GB Default (Max 64GB) | |
| /O Interface | 2x Gigabit Ethernet | |
| nternal Storage (M.2) | 128GB | |
| Storage Expansion | Optional Promise SAS and iSCSI Storage | |
| Max # of HDDs Supported | Up to 136 drives through iSCSI/SAS JBOD expansion | Up to 144 drives through iSCSI/SAS JBOD expansion |
| Other Interfaces | | |
| # of USB Ports | 4x USB 3.0, 2x USB 2.0 | |
| PCI Express Ports | 1x8-lane gen3 | |
| Graphics | D-sub x 1, DVI x 1, HDMI x 1 | |
| Microphone | 5x 3.5 mm + 1xSPDIF Audio Jack | |
| RAID Operational Feature | | |
| RAID Levels | 0, 1, 1E, 3, 5, 6, 10 (0+1), 30, 50, 60. Any combination can exist at the same time | |
| Hot Spares | Multiple global or dedicated hot-spare drives with revertible option | |
| Max. LUNs per System/Array | 256/32 | |
| Software | | |
| OS Supported (64-bit) | Windows 10, WS 2016 | |
| Management Tools | Graphical UI/SNMP via Ethernet, CLI via Ethernet or Graphics, OPAS Service via USB, SDK or API for Integration | |
| Appliance Mode | Surveillance Optimization @ Arrays in Normal and Degrade | |
| Event Notification | Email, SNMP, Buzzer, LEDs | |
| System Information | | |
| AC Input | 100 ~ 240 VAC, 60 ~ 50Hz | |
| Current (Maximum) | 8-4A | |
| Power Supply | Redundant 550W for each power, Hot swappable N+1 Design (80 PLUS certified) | |
| Controller | Replaceable FRU design | |
| Temperature | 5° ~ 40°C (-40° ~ 60°C non-operational) | |
| Dimensions (H x W x D) | 131 x 503 x 447 mm (5.1 x 19.8 x 17.6 in) | 173 x 503 x 447 mm (6.8 x 19.8 x 17.6 in) |
| Weight | System W/O HDD: 16.11kg System W/ HDD: 26.84kg | System W/O HDD: 19.26 kg System W/ HDD: 35.36 kg |
| Safety/EMI | CE, FCC, VCCI, RCM, BSMI, KC | |
| Warranty and Support | | |
| | 2 0 0 | June was 6 |
| Warranty Optional Accessories | 3 year limited warranty ⁵ | |
| Optional Accessories | Sliding Rail, 4/8/16 GB DDR4 Memory | |

- ¹The ideal camera range were the test output with fully populated enclosure and 16GB memory under 1080P/30FPS/5Mbps, H.264
- ² For 2.5" SSD/HDD it will need to use different optional carriers.
- ³ CB Report is tested according to IEC/EN 60950-1 and IEC/EN 62368-1
- $^{\rm 4}\,c$ TUVus label marking is tested according to UL 62368-1 and CAN/CSA-C22.2 NO. 62368-1.
- ⁵ Available to purchase the extra 2 years warranty to total 5 years warranty. *The final spec may be vary without further notice, please check with Promise website for the latest information



© 2018 PROMISE Technology, Inc. All Rights Reserved. PROMISE, the PROMISE logo, VTrak, SmartStor, SuperTrak, FastTrak, VessRAID, Vess, PerfectPATH, PerfectRAID, SATA150, ULTRA133 VTrak S3000, BackTrak, HyperCache, HyperCache-R, HyperCache-W, DeltaScan and GreenRAID are registered or pending trademarks of PROMISE Technology, Inc. in the U.S. and other countries. All other trademarks are the property of their respective owners. Information regarding products, services and offerings may be superseded by subsequent documents and are subject to change without notice. For the latest information and specifications regarding PROMISE Technology, Inc. and anyof its $offerings\ or\ services,\ please\ contact\ your\ local\ PROMISE\ office\ or\ the\ corporate\ head quarters.$ Visit www.promise.com for moreinformation on PROMISE products. P/N: G61300000000077 2018 August