

DOMES ENCLOSURES BRACKETS

- Indoor and outdoor installations
- Powder painted aluminium

DBH01

Wall bracket for DBH45 dome. It is designed to take internal cables. Compatible with corner and pole adapters.

DBH03

Ceiling bracket for DBH45 and DBH24 dome enclosures. It is designed to take internal cables.

DBH04

Wall bracket for DBH24 dome enclosure. It is designed to take internal cables. Compatible with corner and pole adapters.

DBH05


Bracket for DBH24 dome installation on parapet and over roofs. It is designed to take internal cables.

DPTCH





Pole adapter compatible with DBH01 and DBH04 brackets.

DCWGH

Corner adapter compatible with DBH01 and DBH04 brackets.




BRACKETS AND DOME ENCLOSURES CHART				
	WALL		CEILING	PARAPET
	DBH01	DBH04	DBH03	DBH05
DOMES ENCLOSURES:				
DBH45	•		•	
DBH24		•	•	•
ADAPTERS:				
DPTCH	•	•		
DCWGH	•	•		


DBH01

DBH04

DBH03

DBH05


The values are in millimeters.

DPTCH+DBH01



DCWGH



The values are in millimeters.

TECHNICAL DATA

GENERAL

DBH01

- Made of steel tube
- Painted with black epoxy polyester powder

DBH03

- Made of metallic tube
- Painted with black epoxy polyester powder
- 915 mm in length (36 in)

DBH04

- Made of steel tube
- Painted with black epoxy polyester powder

DBH05

- Made of metallic tube and steel
- Painted with black epoxy polyester powder

DPTCH

- Made of aluminium
- Painted with black epoxy polyester powder
- Compatible with DBH01 and DBH04

DCWGH

- Made of steel
- Painted with black epoxy polyester powder
- Compatible with DBH01 and DBH04

MECHANICAL

DBH01

- Enclosure attachment with a single screw
- Internal cable management

- Installation on walls or on modular adaptors
- Max load: 25 kg (55 lb)
- Length: 440 mm (17.3 in)

DBH03

- Enclosure attachment with a single screw
- Internal cable management
- Max load: 25 kg (55 lb)
- Length: 922 mm (36.2 in)

DBH04

- Enclosure attachment with a single screw
- Internal cable management
- Max load: 25 kg (55 lb)
- Length: 356 mm (14.1 in)

DBH05

- Installation over parapets
- Internal cable management
- Max load: 25 kg (55 lb)
- Length: 820 mm (32.2 in)

DPTCH

- Pole installation
- Pole diameters: 80 ÷ 150 mm (3.1 ÷ 5.9 in)

DCWGH

- Installation on corners
- Compatible with DBH01 and DBH04

ENVIRONMENTS

- Outdoor/Indoor



Unit Weight (kg / lb):

DBH01: 2,5 / 5.6
 DBH03: 2 / 4.4
 DBH04: 2,2 / 4.8
 DBH05: 5 / 11
 DPTCH: 2,5 / 5.6
 DCWGH: 2,2 / 4.8

Package Weight (kg / lb):

DBH01: 2,9 / 6.3
 DBH03: 2,6 / 5.7
 DBH04: 2,6 / 5.7
 DBH05: 6 / 13
 DPTCH: 2,68 / 5.7
 DCWGH: 2,6 / 5.7

Package Dimensions (cm / in):

DBH01: 16x18,5x46 / 6.2x7.2x18.1
 DBH03: 9x19,5x105 / 3.5x7.6x41.3
 DBH04: 16x18,5x46 / 6.2x7.2x18.1
 DBH05: 7,5x51x76 / 2.9x20x29.9
 DPTCH: 20x25,5x13,5 / 7.8x10x5.3
 DCWGH: 23,5x31,5x24,5 / 9.2x12.4x9.6

Master Carton (units):

DBH01: 8
 DBH03: 1
 DBH04: 8
 DBH05: 1
 DPTCH: 6
 DCWGH: 6